

1. Obata, A., Kasamatsu, S., Lewis, J. S., Furukawa, T., Takamatsu, S., Toyohara, J., Asai, T., Welch, M. J., Adams, S. G., Saji, H., Yonekura, Y., Fujibayashi, Y.: Basic characterization of  $^{64}\text{Cu}$ -ATSM as a radiotherapy agent. *Nuclear Medicine and Biology*. 32(1), 21-28, 2005,1.
2. Hosokawa, R., Nohara, R., Hirai, T., Fujibayashi, Y., Fujita, M., Kambara, N., Ohba, M., Tadamura, E., Kimura, T., Kita, T.: Myocardial metabolism of  $^{123}\text{I}$ -BMIPP under low-dose dobutamine infusion: implications for clinical SPECT imaging of ischemic heart disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 32(1), 75-83, 2005,1.
3. Li, W., Tanaka, K., Ihaya, A., Fujibayashi, Y., Takamatsu, S., Morioka, K., Sasaki, M., Uesaka, T., Kimura, T., Yamada, N., Tsuda, T., Chiba, Y.: Gene therapy for chronic myocardial ischemia using platelet-derived endothelial cell growth factor in dogs. *American Journal of Physiology—Heart and Circulatory Physiology*. 288(1), H408-415, 2005,1.
4. Sugihara, H., Yonekura, Y., Matsumoto, T., Sasaki, Y.: Relationship between asynchronous myocardial contraction and left ventricular systolic and diastolic function-assessment using the ECG-gated polar map with  $^{99\text{m}}\text{Tc}$ -methoxy-isobutyl isonitrile-. *Circulation Journal*. 69(2), 183-187, 2005,2.
5. Okada, T., Yamada, H., Ito, H., Yonekura, Y., Sadato, N.: Magnetic field strength increase yields significantly greater contrast-to-noise ratio increase: Measured using BOLD contrast in the primary visual area. *Academic radiology*. 12(2), 142-147, 2005,2.
6. 吉田博昭, 福村吉昭, 鈴木真矢, 岡沢秀彦: 口腔悪性腫瘍条例の術後経過観察時における PET の応用. *Dental Diamond*. 30(2), 66-71, 2005,2.
7. Yamasaki, K., Kuga, N., Takamura, N., Furuya, Y., Hidaka, M., Iwakiri, T., Nishii, R., Okumura, M., Kodama, H., Kawai, K., Arimori, K.: Inhibitory effects of amino-acid fluids on drug binding to site II of human serum albumin in vitro. *Biological and Pharmaceutical Bulletin*. 28(3), 549-552, 2005,3.
8. Takamura, N., Maruyama, T., Chosa, E., Kawai, K., Tsutsumi, Y., Uryu, Y., Yamasaki, K., Deguchi, T., Otagiri, M.: Bucolome, a potent binding inhibitor for furosemide, alters

- the pharmacokinetics and diuretic effect of furosemide: potential for use of bucolome to restore diuretic response in nephrotic syndrome. *Drug Metabolism and Disposition*. 33(4), 596-602, 2005,4.
9. Yamauchi, H., Kudoh, T., Sugimoto, K., Takahashi, M., Kishibe, Y., Okazawa, H.: Altered patterns of blood flow response during visual stimulation in carotid artery occlusive disease. *NeuroImage*. 25(2), 554-560, 2005,4.
  10. Kochiyama, T., Morita, T., Okada, T., Yonekura, Y., Matsumura, M., Sadato, N.: Removing the effects of task-related motion using independent-component analysis. *NeuroImage*. 25(3), 802-814, 2005,4.
  11. Takamatsu, S., Inoue, N., Katsumata, T., Nakamura, K., Fujibayashi, Y., Takeuchi, M.: The relationship between the branch-forming glycosyltransferases and cell surface sugar chain structures. *Biochemistry*. 44(16), 6343-6349, 2005,4.
  12. Takamatsu, S., Furukawa, T., Mori, T., Yonekura, Y., Fujibayashi, Y.: Noninvasive imaging of transplanted living functional cells transfected with a reporter estrogen receptor gene. *Nuclear Medicine and Biology*. 32(8), 821-829, 2005,6.
  13. Sadato, N., Okada, T., Honda, M., Matsuki, K., Yoshida, M., Kashikura, K., Takei, W., Sato, T., Kochiyama, T., Yonekura, Y.: Cross-modal integration and plastic changes revealed by lip movement, random-dot motion and sign languages in the hearing and deaf. *Cerebral Cortex*. 15(8), 1113-1122, 2005,8.
  14. Yoshii, Y., Takaichi, S., Maoka, T., Suda, S., Sekiguchi, H., Nakayama, M., Inouye, I.: Variation of siphonaxanthin series among the genus *NEPHROSELMIS*(Prasinophyceae, Chlorophyta), including a novel primary methoxy carotenoid. *Journal of Phycology*. 41(4), 827-834, 2005,8.
  15. Kimura, H., Kado, H., Koshimoto, Y., Tsuchida, T., Yonekura, Y., Itoh, H.: Multislice continuous arterial spin-labeled perfusion MRI in patients with chronic occlusive cerebrovascular disease: a correlative study with CO<sub>2</sub> PET validation. *Journal of Magnetic Resonance Imaging*. 22(2), 189-198, 2005,8.
  16. Tarohda, T., Ishida, Y., Kawai, K., Yamamoto, M., Amano, R.: Regional distributions of

manganese, iron, copper, and zinc in the brains of 6-hydroxydopamine-induced parkinsonian rats. *Analytical and bioanalytical chemistry*. 383(2), 224-234, 2005,9.

17. Nakamura, K., Oga, T., Okada, T., Sadato, N., Takayama, Y., Wydell, T., Yonekura, Y., Fukuyama, H.: Hemispheric asymmetry emerges at distinct parts of the occipitotemporal cortex for objects, logograms and phonograms: A functional MRI study. *NeuroImage*. 28(3), 521-528, 2005,11.
18. Ishida, Y., Kawai, K., Magata, Y., Abe, H., Yoshimoto, M., Takeda, R., Hashiguchi, H., Mukai, T., Saji, H.: Alteration of striatal [<sup>11</sup>C]raclopride and 6-[<sup>18</sup>F]fluoro-L-3,4-dihydroxyphenylalanine uptake precedes development of methamphetamine-induced rotation following unilateral 6-hydroxydopamine lesions of medial forebrain bundle in rats. *Neuroscience Letters*. 389(1), 30-34, 2005,11.
19. Ohtsubo, K., Takamatsu, S., Minowa, M. T., Yoshida, A., Takeuchi, M., Marth, J. D.: Dietary and genetic control of glucose transporter 2 glycosylation promotes insulin secretion in suppressing diabetes. *Cell*. 123(7), 1307-1321, 2005,12.